





Introduction

- - - - X

Fusio is an open source API management platform which helps to build and manage REST APIs. Through Fusio you can quickly build a state of the art API, set up a developer portal and monetize your API.


An API is the foundation of the digital transformation, it enables automation and integration of your services into other systems and workflows.

Fusio is self hosted and based on open standards to protect you from vendor lock-in.

Backend

- - - X

Fusio provides a simple to use and intuitive backend. Through the backend it is possible to control and manage the complete API.




The start of every endpoint is a route. A route contains information like a description or the request and response schema of your endpoint. Every route also contains an assigned action which gets executed if a user invokes this endpoint. An action is a small function which executes your business logic. There are already many build-in actions available i.e. to proxy HTTP requests to an internal API or generate an API based on a database table.

Developer-Portal

- - - X

Fusio provides a ready to use developer portal app which you can use to set up your API program. This is the place where developers can register to consume your API.



At the developer app users can register via email registration or a login provider like i.e. Github/Google. Once a user is registered he can create new apps to obtain an Access-Token via OAuth2.

Besides using the developer portal app you can also completely integrate the portal into your existing app since all functionality is accessible via the internal API.

Monetization

- - - X

At the backend of Fusio it is possible to create multiple Plans.

Fusio (1.0.1)	Plan				test 👤
API	Search i.e. plan-name				+ 0
Consumer	· · ·				
Analytics	Name	Price	Points	Period	
Monetization	Bronze	\$19.99	1000	1 Month	\$ X
Plan Contract	Silver	\$39.99	5000	1 Month	¢ ×
	Gold	\$59.99	10000	1 Month	‡ X
Transaction System	Previous 1 Next				

A Plan can then be purchased by a user at the developer portal.

Developer Document	ation Laccount G Logout			Logged in as test 🕐
Account	Purchase			
Profile		ed. Your account receives a specific an	nount of points which can be used	
Security	to call routes which cost points.			
Grants				
Apps	Bronze	Silver	Gold Price	
Subscriptions	\$19.99 Points	\$39.99	\$59.99	
Plans	1000	Points 5000	Points 10000	
Contracts	Period Period: monthly	Period Period: monthly	Period Period: monthly	
Invoices	Purchase	Purchase	Purchase	

Through a purchase a user receives points. Those points can then be spent to call protected API routes. At the backend you can configure how much a call to a route costs.

Development

- - - - X

Fusio contains many actions which you can use out of the box to solve various tasks. I.e. to proxy HTTP requests to an internal API or generate an API based on a database table. This means you can build APIs in a Low-Code style without the need to write complex code.


AFI Create III Dashboard Name: III Dashboard Name: III Construction III Class: III Connection CLI-Processor III Connection III TP-Load-Balancer III TP-Load-Balancer III TP-Load-Balancer HTTP-Processor PHP-Processor PHP-Processor III TP-Load-Balancer HTTP-Processor IIII TP-Load-Balancer HTTP-Processor IIII TP-Load-Balancer HTTP-Processor IIII TP-Load-Balancer HTTP-Processor IIII TP-Load-Balancer HTTP-Processor IIIII TP-Load-Balancer HTTP-Processor IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	sio (1.0.1)	Action		t
Name: Action Name of the action must match the following regexp [A-z@-9\-\]{3,64} Cannection Cl-Processor Intrr-composition ThrP-codessor HTTP-Load-Balancer HTTP-Processor PHP-Processor PHP-Processor SUL-Dielte SUL-Dielte SUL-Dielte SUL-Dielte SUL-Dielte SUL-Dielte SUL-Dielte SUL-Dielte SUL-Dielte SUL-Update Util-Ache Util-Static-Response Worker-Javascript	1	Create		+
A Routes Action Name of the action must match the following regexp [A-20-9)-_]{3,64} Class: Class: Connection TTTP composition HTTP-Processor PHP-Processor PHP-Sandbox SQL-Delete SQL-Delete SQL-Delete SQL-Delete SQL-Delete SQL-Delete SQL-Select-All SQL-Select-Row SQL-Jate Util-Ache Util-Sche U	Dashboard			
Schema Class: Connection CLI-Processor Prevent HTTP-Vomposition HTTP-Processor Image: Class: Cronjob SMTP-Send Sol-Delete Sol-Delete Sol-Select-All Sol-Select-All Sol-Select-Row Sol-Select-Row Sol-Select-Row Sol-Select-Row Sol-Select-Row Sol-Select-Row Worker-Java Worker-Javascript	Routes	Name:		
Schema Class: Connection CLI-Processor Event HTTP-Vomposition HTTP-Processor Image: Class: Cronjob SMTP-Send Sol-Delete Image: Classet sol-Delete Sol-Delete Sol-Delete Sol-Delete Sol-Delete Sol-Delete Sol-Delete Sol-Delete Sol-Delete Sol-Delete Sol-Delete Image: Classet Sol-Delete Image: Classet Sol-Delete Image: Classet Sol-Delete Image: Classet Sol-Select-Row Sol-Select-Row Sol-Select-Row Sol-Select-Row Sol-Select-Row Image: Classet Util-SoNP-Patch Util-SoNP-Patch Util-Static-Response Worker-Java Worker-Java Worker-Java	Action			
Connection CLI-Processor Event HTTP-Composition HTTP-CodeBalancer Ifference HTTP-Processor Ifference PHP-Processor Ifference SQL-Delete SQL-Delete SQL-Delete SQL-Query-All SQL-Query-All SQL-Query-All SQL-Query-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Update Util-AB-Test Util-Santb-Test Util-Santb-Test Util-Static-Response Worker-Java Worker-Java Worker-Javaser/nt	Acuon	Name of the action must match the following regexp $[A-z0-9\-\]{3,64}$		
Connection Intre-composition Event HTTP-load-Balancer HTTP-Processor PHP-Processor Cronjob PHP-Sandbox nsumer SQL-Delete alytics SQL-Delete SQL-Delete SQL-Query-All SQL-Query-Row SQL-Query-Row sQL-Select-All SQL-Select-All SQL-Select-Row SQL-Select-Row stem SQL-Dether Util-K2-Fest Util-Cache Util-SoN-Patch Util-Static-Response Worker-Java Worker-Javascript	Schema	Class:		
Event HTTP-Load-Balancer HTTP-Processor PHP-Processor PHP-Processor SMT-Send SQL-Delete SQL-Delete SQL-Query-All SQL-Select-All SQL-Select-Row SQL-Update Util-AS-Test Util-AS-Test Util-AS-Test Util-Static-Response Worker-Java	Connection		· /	
Cronjob PHP-Processor nsumer SQL-Delete alytics SQL-Query-All sol-Query-Row SQL-Query-All sem SQL-Select-All SQL-Update Util-A/B-Test Util-Sohe Util-Sohe Util-Static-Response Worker-Java Worker-Java Worker-Java			≜d	
Cronjob PHP-Sandbox nsumer SMTP-Send alytics SQL-Delete sQL-Delete SQL-Query-All sQL-Select-All SQL-Select-Row stem SQL-Duery Alt util-AS Test Util-AS Test Util-Static-Response Worker-Java Worker-Java Worker-Java	Event			
SMTP-Send nsumer alytics SQL-Delete SQL-Delete SQL-Delete SQL-Delete SQL-Delete SQL-Delete SQL-Delete SQL-Query-All SQL-Query-Row SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All SQL-Select-All	Cronich			
nsumer SQL-blete slytics SQL-blete slytics SQL-lasert SQL-lasert SQL-Query-All SQL-Query-Row SQL-Select-All SQL-Select-All SQL-Select-Row SQL-Jpdate Util-APE-Test Util-APE-Test Util-Cache Util-Son-Patch Util-Static-Response Worker-Java Worker-Java Worker-Java	Cronjob	SMTP-Send		
alytics SQL-Query-All SQL-Query-Row SQL-Select-All SQL-Select-All SQL-Select-Row SQL-Update Util-XP-Test Util-Cache Util-SON-Patch Util-SON-Patch Util-Static-Response Worker-Java Worker-Java			re	
SQL-Query-Row sonetization stem SQL-Select-All SQL-Select-Row SQL-Update Util-A/B-Test Util-A/B-Test Util-Cache Util-JSON-Patch Util-Static-Response Worker-Java Worker-Java	alution			
SQL-Select-All SQL-Select-Row Sem SQL-Update Util-A/B-Test Util-Cache Util-JSON-Patch Util-Static-Response Worker-Java Worker-Javascript	alytics			
stem SQL-Update Util-A/B-Test Util-Cache Util-SQN-Patch Util-Redirect Util-Static-Response Worker-Java Worker-Java				
Util-A/B-Test Util-Cache Util-JSON-Patch Util-Static-Response Worker-Java Worker-Java				
Util-Cache Util-JSON-Patch Util-Redirect Util-Static-Response Worker-Java Worker-Javascript	stem			
Util-JSON-Patch Util-Redirect Util-Static-Response Worker-Java Worker-Java				
Util-Redirect Util-Static-Response Worker-Java Worker-Javascript				
Util-Static-Response Worker-Java Worker-Javascript			~	
Worker-Javascript				
Worker-Javascript				
Worker DHD		Worker-Javascript	•	
		Marker DHD		
		Optional environment variables passed to the process i.e. "foo=bar&bar=foo"		

If you need to build an action with custom code you can use the Worker-System which allows you to develop actions in different programming languages, Fusio currently supports Java, Javascript, PHP and Python. This means your developers can choose the language of choice to implement your backend logic.

Multi-Tenancy

- - - X

Fusio has a unique concept of categories. Every object like a Route, Action or Schema which you create at Fusio is assigned to a specific category. Every user is also assigned to a category via a role and the user then only sees those objects with the same category.




Through this it is possible to split up your API in different categories and give developers access to the backend. A developer can then view and edit only objects for this category. This means you can easily scale the development of an API with multiple developers since each developer/team has its own area without interfering with other developers/teams.

At the and the Lead API Designer can put the created Actions and Schemas together to build the final API product. This provides a new way of task sharing to enable fluent development.

Marketplace

- - - - X

Fusio provides an Apps Marketplace where you can install different apps for your API. An App is mostly a simple Javascript app which provides specific functionality. The previously mentioned backend and developer app are also only apps which work with the internal API of Fusio.



Another example is the Swagger-UI app which uses the <u>Swagger-UI</u> component to render an OpenAPI specification.

SDK

- - - - X

Fusio has a powerful client SDK code generator included which allows you to generate client SDKs for multiple programming languages. It uses the request/response schema which is attached at every route to generate the code.


Fusio (1.0.1)	SDK	test 👤
API	Туре	
Consumer		• C
🗖 Арр	client-go	
 Scope 	client-java	C
👤 User	client-php	c
T Rate	client-typescript	С
A Page		
⊕ SDK	markup-html	С
Subscription	markup-markdown	C
Analytics	spec-typeschema	C
Monetization		
System	spec-openapi	С
	spec-raml	C

You can download these SDKs directly at the backend. Internally it is based on <u>TypeSchema</u> which is an innovative schema specification dedicated to code generation.

License

- - - X

Fusio is an open source project which you can use freely also for commercial projects under the terms of the <u>AGPL</u>. We want to build a sustainable open source project with a long term relationship to our users. This means that we are able to develop and build tools around the Fusio ecosystem and that our users can benefit from this. As additional perks we provide <u>some services</u> to our donors to be even more productive with Fusio.



Please checkout our <u>Github sponsor</u> page for more information. If you have any further questions please use our <u>contact page</u>.